	Application No.	Applicant(s)
Notice of Allowability	10/532,643	SIEMERS, CHRISTIAN
	Examiner	Art Unit
	Jason Crawford	2819
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 7/7/2006.		
2. \(\simeq\) The allowed claim(s) is/are 1 and 4-11.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Opies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)		
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 		atent Application (PTO-152)
_	 6. ☐ Interview Summary Paper No./Mail Dat 	e
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), 7. 🛛 Examiner's Amendn	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9. Other	

Page 2

EXAMINER'S AMENDMENT

DETAILED ACTION

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: Please place the following data on the front sheet of the Specification:

Start Amendment Here --

Art Unit: 2819

Continuation Data:

This application is a 371 of PCT/IDE03/03524 filed on 10/23/2003.

-- End of Amendment

Miscellaneous

The Applicant has canceled claims 2 and 3, therefore only claims 1 and 4-11 are to be examined in this Office Action.

Allowable Subject Matter

Claims 1 and 4-11 are allowed. The following is an examiner's statement of reasons for allowance:

Application/Control Number: 10/532,643

Art Unit: 2819

In regards to claim 1, the prior art discloses of a programmable logic device comprising a number of logic blocks with processing units, at least one input/output unit associated with the blocks, means for linking the blocks to one another, to the processing units and to the input/output units with a changeover block with linking elements to configure either the blocks, their connections to one another, to the processing units and/or to the input/output units, wherein the changeover block is on a first plane and the logic block device is on a second non-coplanar plane, however, the prior art does not directly disclose of the *first and second planes being constructed as being largely equivalent in structure in accordance with the specification*, nor would it have been obvious to one of ordinary skill in the art to do so. Claims 4-7 are also allowed as being dependent on the allowable claim 1.

In regards to claim 8, the prior art discloses of a programmable logic device comprising a plurality of logic blocks with processing units on a first plane, an input/output unit associated with the blocks, a linking part to link the logic blocks to one another, to the processing units of other blocks and to the input/output unit, the linking parts comprising a changeover block on a second plane located on the outside of the first plane, however, the prior art does not directly disclose of the <u>first and second</u> <u>planes being constructed as being largely equivalent in structure in accordance with the specification</u>, nor would it have been obvious to one of ordinary skill in the art to do so. Claims 9-11 are also allowed as being dependent on the allowable claim 8.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/532,643

Art Unit: 2819

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Crawford whose telephone number is 571-272-6004. The examiner can normally be reached on Monday - Friday 7am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rex Barnie can be reached on 571-272-7492. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000. PRIMARY EXAMINER

ONL

JMC